١/٨		U.S. Department of Veterans Affairs	PHARMACY (PHOD5) LEASING DISCLAIMER				Plot Date: 6/27/2018 11:40:00 PM	
VA			SKETCH TITLE	0'	4'	8'	1	5'
			SCALE:					

DISCLAIMER:

ROOM TEMPLATES ARE A CRITICAL COMPONENT TO VA TECHNICAL INFORMATION LIBRARY (TIL) WHICH PROVIDES STANDARDS FOR ALL VA PLANNING, DESIGN, AND CONSTRUCTION PROJECTS. ROOM TEMPLATES ARE DEPARTMENT AND ROOM ALIGNED CRITERIA DESCRIBING SPACE, ROOM CONTENTS, AND OTHER TECHNICAL REQUIREMENTS FOR THE DEVELOPMENT OF VA PROJECTS. ROOM TEMPLATES COMMUNICATE THE BASIS OF DESIGN (BOD) AND ARE REQUIRED TO BE UTILIZED BY PROJECT TEAMS WORKING ON NEW CONSTRUCTION AND RENOVATIONS OF EXISTING FACILITIES. THE MATERIAL CONTAINED IN THE ROOM TEMPLATE CONSTITUTES A STANDARD FOR VA PLANNING, DESIGN, AND CONSTRUCTION. ANY SUBSTANTIAL VARIANCE FROM STANDARDS SHALL BE CONSIDERED ONLY AS REQUIRED TO ACCOMMODATE SPECIFIC SITE, FUNCTIONAL, AND OPERATIONAL CONDITIONS. EACH SUBSTANTIAL VARIANCE SHALL HAVE A BASIS OF RATIONALE AND BE DOCUMENTED IN THE PROJECT RECORD.

CLINICIANS, PROVIDERS, PRIMARY USERS, AND OTHER STAKEHOLDERS SHALL BE INVOLVED IN PROJECT SPECIFIC DEVELOPMENT OF ROOM TEMPLATES AND BIM TEST-FITS TO BEST ADAPT STANDARDS FOR SPECIFIC FUNCTIONAL, OPERATIONAL, AND SITE CONDITIONS AND TO PROVIDE OPTIMUM SERVICES ENVIRONMENTS FOR VETERANS. STAKEHOLDER INVOLVEMENT AND REQUIREMENTS SHALL BE DOCUMENTED IN THE PROJECT RECORD.

ROOM TEMPLATES ARE NOT PROJECT-SPECIFIC. SITE SPECIFIC ISSUES MUST BE ADDRESSED WITH THE CONTEXT OF VA STANDARDS AND APPLIED TO EACH INDIVIDUAL PROJECT. USE OF THIS ROOM TEMPLATE DOES NOT PRECLUDE THE NEED FOR, NOR ABSOLVE PLANNERS, DESIGNERS, AND CONSTRUCTORS OF THEIR RESPONSIBILITY TO PROVIDE COMPLETE, FUNCTIONAL, SAFE, AND SECURE DESIGNS SUITED TO THE UNIQUE REQUIREMENTS OF EACH PROJECT.

EQUIPMENT AND SYSTEMS ARE SHOWN IN AN ILLUSTRATIVE, PERFORMANCE-BASED FORMAT AND ARE NOT INTENDED TO DEPICT, SUGGEST, OR OTHERWISE CONSTITUTE ENDORSEMENT OF ANY SPECIFIC PRODUCT OR MANUFACTURER. MANUFACTURERS SHOULD BE CONSULTED FOR ACTUAL DIMENSIONS, CONFIGURATIONS, AND UTILITY REQUIREMENTS.



U.S. Department of Veterans Affairs

PHARMACY (PHOD5) LEASING

0'


Plot Date: 6/27/2018 11:40:00 PM

16'


SCALE: 1/4" = 1'-0"

ROOM NAME (ROOM CODE) AREA NSF	ROOM TAG	JSN# Type Comments	EQUIPMENT JSN NUMBER & NAME		ELEVATION REFERENCE
Ę	CENTERLINE		OVERHEAD LINES		CLEARANCE LINES
	2X2 ACOUSTIC CEILING SYSTEM		COMPOUND CEILING, GYPSUM BOARD ON METAL STUD	•	SPRINKLER HEAD
0	2X4 TROFFER LIGHT FIXTURE	ø	2X2 TROFFER LIGHT FIXTURE	-¢-	RECESSED CAN LIGHT FIXTURE
	EXHAUST REGISTER		RETURN REGISTER		SUPPLY DIFFUSER
<u> </u>	SINGLE SWITCH	Ş ₂	MULTIPLE SWITCH (SUBSCRIPT INDICATES QUANTITY)	Ş₽	DIMMER SWITCH
	WALL-MOUNTED DATA OUTLET	P	WALL-MOUNTED DUPLEX OUTLET		WALL-MOUNTED QUADRAPLEX OUTLET
	FLOOR-MOUNTED DATA OUTLET	Ð	FLOOR-MOUNTED DUPLEX OUTLET	Ð	FLOOR-MOUNTED QUADRAPLEX OUTLET




























SCALE: 1/4" = 1'-0"





ELEVATION 4





PHARMACY (PHOD5) LEASING **ROOM DATA**

U.S. Department SKETCH TITLE

SCALE:

ARCHITECTURAL & INTERIOR DESIGN	
Ceiling Type:	AT
Ceiling Height:	9'-0" (2700mm)
Ceiling Finish:	
Wall Finish:	m: GWB f:P
Wainscot:	
Base:	m: RF at h: 4" (100mm)
Floor Finish:	RF
Floor Finish: Slab Depression:	
Slab Depression:	

of Veterans Affairs

Notes:

Ref. Door Type Detail #SD080000-01 for door types Ref. Door Sizes Detail #SD080000-02 for door sizes 16'

TELECOMMUNICATION / SPECIAL SYSTEMS	
Data:	Yes
Telephone:	Yes
Cable Television:	
Duress Alarm:	
Electronic Access and Door Control:	
Intercom:	
Motion Intrusion Detection (MID):	
Nurse Call:	
Code Blue:	
Public Address:	
Security Surveillance Television (SSTV):	
VA Satellite TV:	Yes
Video Teleconferencing (VTEL):	
Special Requirement:	

8

Notes:

PLUMBING AND MEDICAL GASES

4'

0

Design in accordance with project requirements.	
Cold Water:	Yes
Hot Water:	Yes
Drain:	
Reagent Grade Water:	
Medical Air:	
Medical Vacuum:	
Oxygen:	
Special Requirement:	
Nataa	

Notes:

HEATING, VENTILATING, AND AIR CONDITIONING

Refer to HVAC Design Manual.

Design in accordance with project requirements. Refer to the current version of PG-18-10 Chapter 6 Table 5 -"Mechanical Room Data Sheets" for room temperatures, humidity range, room air change requirements, and pressurization Notes:

FIRE PROTECTION AND LIFE SAFETY

Design in accordance with project requirements.

Alarm Detection:	Visual (15cd), center of tile
Alarm Annunciator:	

Recessed pendant, center of tile

Sprinkler:

Notes:

DISCLAIMER: ROOM TEMPLATES ARE GRAPHICAL REPRESENTATIONS OF SELECTED ROOM TYPES THAT ILLUSTRATE VA PLANNING REQUIREMENTS FOR SPACE, ROOM CONTENTS, AND ROOM SPECIFIC ENGINEERING SYSTEMS. THEY PROVIDE TYPICAL CONFIGURATIONS, PLANNING CRITERIA, AND GENERAL TECHNICAL GUIDANCE, AND ARE NOT INTENDED TO BE PROJECT SPECIFIC REQUIREMENTS.

LIGHTING

General Requirement: Lighting system design shall be based on the guidance of applicable Illuminating Engineering Society North America (IESNA) Standards.

Luminaire Type: Design in accordance with project requirements.

Special Requirement:

Notes:

POWER

Notes:

Emergency Power:

Special Requirement:

Electrical system design to comply with the latest NFPA 70 and 99

Design in accordance with project requirements.

Normal Power: Connect to receptacles and equipment
--

١/٨		U.S. Department	DISPENSE / CONSI DISCLAIMER	ULT WINDO	W (PHOW2)	LEASING) Plot Date: 6/28/2018 12:15:38 /	
VA		of Veterans Affairs	SKETCH TITLE	0'	4'	8'		16'
	Arres Of		SCALE:					

DISCLAIMER:

ROOM TEMPLATES ARE A CRITICAL COMPONENT TO VA TECHNICAL INFORMATION LIBRARY (TIL) WHICH PROVIDES STANDARDS FOR ALL VA PLANNING, DESIGN, AND CONSTRUCTION PROJECTS. ROOM TEMPLATES ARE DEPARTMENT AND ROOM ALIGNED CRITERIA DESCRIBING SPACE, ROOM CONTENTS, AND OTHER TECHNICAL REQUIREMENTS FOR THE DEVELOPMENT OF VA PROJECTS. ROOM TEMPLATES COMMUNICATE THE BASIS OF DESIGN (BOD) AND ARE REQUIRED TO BE UTILIZED BY PROJECT TEAMS WORKING ON NEW CONSTRUCTION AND RENOVATIONS OF EXISTING FACILITIES. THE MATERIAL CONTAINED IN THE ROOM TEMPLATE CONSTITUTES A STANDARD FOR VA PLANNING, DESIGN, AND CONSTRUCTION. ANY SUBSTANTIAL VARIANCE FROM STANDARDS SHALL BE CONSIDERED ONLY AS REQUIRED TO ACCOMMODATE SPECIFIC SITE, FUNCTIONAL, AND OPERATIONAL CONDITIONS. EACH SUBSTANTIAL VARIANCE SHALL HAVE A BASIS OF RATIONALE AND BE DOCUMENTED IN THE PROJECT RECORD.

CLINICIANS, PROVIDERS, PRIMARY USERS, AND OTHER STAKEHOLDERS SHALL BE INVOLVED IN PROJECT SPECIFIC DEVELOPMENT OF ROOM TEMPLATES AND BIM TEST-FITS TO BEST ADAPT STANDARDS FOR SPECIFIC FUNCTIONAL, OPERATIONAL, AND SITE CONDITIONS AND TO PROVIDE OPTIMUM SERVICES ENVIRONMENTS FOR VETERANS. STAKEHOLDER INVOLVEMENT AND REQUIREMENTS SHALL BE DOCUMENTED IN THE PROJECT RECORD.

ROOM TEMPLATES ARE NOT PROJECT-SPECIFIC. SITE SPECIFIC ISSUES MUST BE ADDRESSED WITH THE CONTEXT OF VA STANDARDS AND APPLIED TO EACH INDIVIDUAL PROJECT. USE OF THIS ROOM TEMPLATE DOES NOT PRECLUDE THE NEED FOR, NOR ABSOLVE PLANNERS, DESIGNERS, AND CONSTRUCTORS OF THEIR RESPONSIBILITY TO PROVIDE COMPLETE, FUNCTIONAL, SAFE, AND SECURE DESIGNS SUITED TO THE UNIQUE REQUIREMENTS OF EACH PROJECT.

EQUIPMENT AND SYSTEMS ARE SHOWN IN AN ILLUSTRATIVE, PERFORMANCE-BASED FORMAT AND ARE NOT INTENDED TO DEPICT, SUGGEST, OR OTHERWISE CONSTITUTE ENDORSEMENT OF ANY SPECIFIC PRODUCT OR MANUFACTURER. MANUFACTURERS SHOULD BE CONSULTED FOR ACTUAL DIMENSIONS, CONFIGURATIONS, AND UTILITY REQUIREMENTS.



DISPENSE / CONSULT WINDOW (PHOW2) LEASING

0'

LEGEND

Plot Date: 6/28/2018 12:15:38 AM

16'

U.S. Department of Veterans Affairs SKETCH TITLE

SCALE: 1/4" = 1'-0"

	4'


	4	

8'


ROOM NAME (ROOM CODE) AREA NSF	ROOM TAG	JSN# Type Comments	EQUIPMENT JSN NUMBER & NAME		ELEVATION REFERENCE
Ģ	CENTERLINE		OVERHEAD LINES		CLEARANCE LINES
	2X2 ACOUSTIC CEILING SYSTEM		COMPOUND CEILING, GYPSUM BOARD ON METAL STUD	•	SPRINKLER HEAD
8	2X4 TROFFER LIGHT FIXTURE	E	2X2 TROFFER LIGHT FIXTURE	-¢-	RECESSED CAN LIGHT FIXTURE
	EXHAUST REGISTER		RETURN REGISTER		SUPPLY DIFFUSER
Ş	SINGLE SWITCH	Ş2	MULTIPLE SWITCH (SUBSCRIPT INDICATES QUANTITY)	Ş₀ 	DIMMER SWITCH
	WALL-MOUNTED DATA OUTLET	P	WALL-MOUNTED DUPLEX OUTLET		WALL-MOUNTED QUADRAPLEX OUTLET
	FLOOR-MOUNTED DATA OUTLET	Ð	FLOOR-MOUNTED DUPLEX OUTLET	Ð	FLOOR-MOUNTED QUADRAPLEX OUTLET



SCALE:
























SCALE: 1/4" = 1'-0"




ELEVATION 1






ELEVATION 3



DISCLAIMER: ROOM TEMPLATES ARE GRAPHICAL REPRESENTATIONS OF SELECTED ROOM TYPES THAT ILLUSTRATE VA PLANNING REQUIREMENTS FOR SPACE, ROOM CONTENTS, AND ROOM SPECIFIC ENGINEERING SYSTEMS. THEY PROVIDE TYPICAL CONFIGURATIONS, PLANNING CRITERIA, AND GENERAL TECHNICAL GUIDANCE, AND ARE NOT INTENDED TO BE PROJECT SPECIFIC REQUIREMENTS.



LEASING

Plot Date: 6/28/2018 12:11:04 AM

16'

ROOM DATA

ARCHITECTURAL & INTERIOR DESIGN Ceiling Type: AT I)

Ref. Door Type Detail #SD080000-01 for door types

	Electronic Access and Door Control:
ו) F	Intercom:
F	Motion Intrusion Detection (MID):
	Nurse Call:
	Code Blue:
Ν	Public Address:
	Security Surveillance Television (SSTV):
	VA Satellite TV:
	Video Teleconferencing (VTEL):
	Special Requirement:

4'

Notes:

PLUMBING AND MEDICAL GASES

Design in accordance with project requirements.	
Cold Water:	
Hot Water:	
Drain:	
Reagent Grade Water:	
Medical Air:	
Medical Vacuum:	
Oxygen:	
Special Requirement:	

Notes:

HEATING, VENTILATING, AND AIR CONDITIONING

Refer to HVAC Design Manual.

Design in accordance with project requirements. Refer to the current version of PG-18-10 Chapter 6 Table 5 -"Mechanical Room Data Sheets" for room temperatures, humidity range, room air change requirements, and pressurization Notes:

FIRE PROTECTION AND LIFE SAFETY

Design in accordance with project requirements.

Alarm Detection:	Visual (15cd), center of tile
Alarm Annunciator:	

Sprinkler: Recessed pendant, center of tile

Notes:

DISPENSE / CONSULT WINDOW (PHOW2) LEASING

0'

U.S. Department SKETCH TITLE of Veterans Affairs

SCALE:

Ceiling Height:	9'-0" (2700mm)
Ceiling Finish:	
Wall Finish:	m: GWB f:P
Wainscot:	
Base:	m: RF at h: 4" (100mm)
Floor Finish:	RF
Slab Depression:	
Sound Protection:	
Doors:	OPEN
Special Requirement:	
Notes:	

Ref. Door Sizes Detail #SD080000-02 for door sizes

LIGHTING

General Requirement: Lighting system design shall be based on the guidance of applicable Illuminating Engineering Society North America (IESNA) Standards.

Luminaire Type: Design in accordance with project requirements.

Special Requirement:

Notes:

POWER

Electrical system design to comply with the latest NFPA 70 and 99

Design in accordance with project requirements.

Normal Power:	Connect to receptacles and equipment

Emergency Power:	
Special Requirement:	

Notes:

DISCLAIMER: ROOM TEMPLATES ARE GRAPHICAL REPRESENTATIONS OF SELECTED ROOM TYPES THAT ILLUSTRATE VA PLANNING REQUIREMENTS FOR SPACE, ROOM CONTENTS, AND ROOM SPECIFIC ENGINEERING SYSTEMS. THEY PROVIDE TYPICAL CONFIGURATIONS, PLANNING CRITERIA, AND GENERAL TECHNICAL GUIDANCE, AND ARE NOT INTENDED TO BE PROJECT SPECIFIC REQUIREMENTS.



Plot Date: 6/28/2018 12:15:38 AM

Yes

Yes

---------Yes ---------Yes ---

16'

Data: Telephone: Cable Television: Duress Alarm:

TELECOMMUNICATION / SPECIAL SYSTEMS

8'