

# Summary of Modifications/Changes in this Update

This Summary of Changes is for information only.  
It is not a part of the referenced document, and should not be used for project documentation.

U.S. Department of Veterans Affairs ♦ Office of Construction & Facilities Management

## **DATE OF THIS VERSION (new)**

September 1, 2015

## **TITLE OF DOCUMENT (new title if applicable):**

Dental Vacuum and Evacuation Equipment, 22 62 19.74

## **DATE OF VERSION BEING SUPERSEDED (old):**

December 1, 2010

## **DESCRIPTION OF DOCUMENT (previous title, number, other identifying data):**

Dental Vacuum and Evacuation Equipment, 22 62 19.74

## **SUMMARY OF CHANGES IN THIS VERSION:**

1. 1.2 – Updated specification sections with related work.
2. 1.3 – Revised applicable publications to their latest version.
3. 1.4 E - Added submittal for training plans.
4. 1.5 B – Added Bio-Based Materials.
5. 1.6 A – Added ten-year Warranty against pump wear-out or failure.
6. 2.2 E - Clarified that the separator tank drain should discharge into the sanitary sewer.
7. 2.13 A - Verified NFPA 99 section reference number for drainage of vacuum equipment and vacuum exhaust.
8. 3.2 A - Verified NFPA 99 section reference number for pipe leakage test.